



Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Tc
PO039020	MES002-VC	1	1	Net 30	MSTEEL-A2-80.500X1.250	AISI A2 Tool Steel Bar, 0.500 X 1.250 : MATERIAL: AISI A2 STEEL, ANNEALED CONDITION AS PER ASTM A681 NOTE:TOLERANCE -0+0" CUT AT 1.25"				100	2/20/2018	100		\$044515	Stock	2/22/2018	\$ 12.37 / ft	0		\$1.2
Total:										100		100								\$97

Plex 2/22/2018 8:38 AM Dart.Dubois.Pascal

METAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7
Tel.: 450 641-3330

Shipping Order

20/02/2018

Order : 132669
Reference : 39020
Ship : PICK UP / PICK UP

Customer: 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Deliver	B/O Qty
TP12A2	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N A-2 PLATE TFA 1/2" THICK 9 X 1.25" -0+. X 140" R/L HT;PM83806	246	246	0
	ASAS ASAP ASAP			
	SHIP JOURNEY COLLECT			

Shipping :
Package No :
Merchandise Received:

Ref. :

METAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7
Tel. : 450 641-3330

Shipping Order

20/02/2018

Order : 132669
Reference : 39020
Ship : PICK UP / PICK UP

Customer : 6323336

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel. : 1 613 632-3336

<i>Item No.</i>	<i>Description</i>	<i>Qty</i>	<i>Qty. Delivered</i>	<i>B/O Qty</i>
TP12A2	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N A-2 PLATE TFA 1/2" THICK 9 X 1.25" -0+.+ X 140" R/L HT;PM83806	246	<u>246</u>	<u>0</u>

ASAS ASAP ASAP

SHIP JOURNEY COLLECT

Shipping : _____

Package No : _____

Ref. : _____

Merchandise Received: _____



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO039020**

Supplier: MES002-VC
Metaux Solutions
2625 boul Jacques-Cartier Est
Longueuil
QC
J4N 1L7 Canada
Phone: 800 558 8858
Fax: 514 633 8044

PO No: PO039020

PO Date: 2/12/18

Due Date:

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED
FEB 12 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	MSTEEL-A2-B0.500X1.250		AISI A2 Tool Steel Bar, 0.500 X 1.250 : MATERIAL: AISI A2 STEEL, ANNEALED CONDITION AS PER ASTM A681 NOTE: TOLERANCE -0+0" CUT AT 1.25"	Firmed	2/20/18	100 ft	0 ft	100 ft	\$12.37/ft	\$1,237.00

Grand Total: \$1,237.00

Order Notes

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/12/18 12:49 PM dart.lavoie.chantal

2/12/2018

PURCHASE ORDER

246th

Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K8A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO039020

Supplier: MES002-VC
Metaux Solutions
2625 boul Jacques-Cartier Est
Longueuil
QC
J4N 1L7 Canada
Phone: 800 558 8858
Fax: 514 833 8044

PO No: PO039020

PO Date: 2/12/18

Due Date:

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Laviole, Chantal
Phone: clavoile@dartaero.com

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K8A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments:

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	MSTEEL-A2-B0.500X1.250		AISI A2 Tool Steel Bar, 0.500 X 1.250 : MATERIAL: AISI A2 STEEL, ANNEALED CONDITION AS PER ASTM A681 NOTE: TOLERANCE -0+0" CUT AT 1.25"	Firmed	2/20/18	100 ft	0 ft	100 ft	\$12.37/ft	\$1,237.00
Grand Total:										\$1,237.00

Order Notes

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program
A049 supplier awareness

Terms & Condition of Purchasing (Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 2/12/18 12:49 PM dart.lavoie.chantal

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: ms steel A2-Bc-500x1.250 PO / BATCH NO.: 039020/5044515
 DATE: FEB 22 2018

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 100'
 QUANTITY INSPECTED: 100'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.500
 THICKNESS RECEIVED: 0.500
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	Astm A-681
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	Heat # Pm 83806
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____		
DATE: <u>9-89 FEB 22 2018</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

PURCHASE MATERIAL: AISI A2 TOOL STEEL, ANNEALED CONDITION
SPECIFICATION: ASTM A681
PART NUMBER: MSTEEL-A2-BT-TTT X W WWW

WHERE "T.TTT" = THICKNESS IN INCHES
 "W.WWWW" = WIDTH IN INCHES

EG. 0.500" X 1.250" BAR = MSTEEL-A2-B0.500X1.250

TOLERANCES:
PER ASTM A681 AS FOLLOWING

TABLE 14 Hot-Rolled Flat Bars
(Width and Thickness Tolerances Width Tolerances)

Specified Widths, in. (mm)		Width Tolerances in (mm)									
		Under					Over				
To 1 (25.4), incl		0.016 (0.41)					0.031 (0.79)				
Over 1 to 5 (25.4 to 76), incl		0.031 (0.79)					0.047 (1.19)				
Over 5 to 7 (76 to 127), incl		0.047 (1.19)					0.063 (1.60)				
Over 7 to 10 (127 to 178), incl		0.063 (1.60)					0.094 (2.39)				
Over 10 to 15 (178 to 254), incl		0.078 (1.98)					0.125 (3.18)				
Over 15 to 20 (254 to 305), incl		0.094 (2.38)					0.156 (3.96)				
Over 20 to 25 (305 to 356), incl		0.110 (2.79)					0.178 (4.52)				
Over 25 to 30 (356 to 406), incl		0.127 (3.23)					0.200 (5.08)				
Over 30 to 35 (406 to 457), incl		0.143 (3.63)					0.226 (5.74)				
Over 35 to 40 (457 to 508), incl		0.160 (4.06)					0.252 (6.40)				
Over 40 to 45 (508 to 559), incl		0.177 (4.50)					0.279 (7.09)				
Over 45 to 50 (559 to 610), incl		0.193 (4.93)					0.306 (7.77)				
Over 50 to 55 (610 to 661), incl		0.210 (5.35)					0.333 (8.46)				
Over 55 to 60 (661 to 712), incl		0.226 (5.79)					0.360 (9.14)				
Over 60 to 65 (712 to 763), incl		0.243 (6.22)					0.387 (9.83)				
Over 65 to 70 (763 to 814), incl		0.259 (6.65)					0.414 (10.52)				
Over 70 to 75 (814 to 865), incl		0.276 (7.07)					0.441 (11.21)				
Over 75 to 80 (865 to 916), incl		0.292 (7.50)					0.468 (11.90)				
Over 80 to 85 (916 to 967), incl		0.309 (7.92)					0.495 (12.59)				
Over 85 to 90 (967 to 1018), incl		0.325 (8.35)					0.522 (13.28)				
Over 90 to 95 (1018 to 1069), incl		0.342 (8.78)					0.549 (13.97)				
Over 95 to 100 (1069 to 1120), incl		0.358 (9.20)					0.576 (14.66)				
Over 100 to 105 (1120 to 1171), incl		0.375 (9.63)					0.603 (15.35)				
Over 105 to 110 (1171 to 1222), incl		0.391 (10.06)					0.630 (16.04)				
Over 110 to 115 (1222 to 1273), incl		0.408 (10.49)					0.657 (16.73)				
Over 115 to 120 (1273 to 1324), incl		0.424 (10.92)					0.684 (17.42)				
Over 120 to 125 (1324 to 1375), incl		0.441 (11.35)					0.711 (18.11)				
Over 125 to 130 (1375 to 1426), incl		0.457 (11.78)					0.738 (18.80)				
Over 130 to 135 (1426 to 1477), incl		0.474 (12.21)					0.765 (19.49)				
Over 135 to 140 (1477 to 1528), incl		0.490 (12.64)					0.792 (20.18)				
Over 140 to 145 (1528 to 1579), incl		0.507 (13.07)					0.819 (20.87)				
Over 145 to 150 (1579 to 1630), incl		0.523 (13.50)					0.846 (21.56)				
Over 150 to 155 (1630 to 1681), incl		0.540 (13.93)					0.873 (22.25)				
Over 155 to 160 (1681 to 1732), incl		0.556 (14.36)					0.900 (22.94)				
Over 160 to 165 (1732 to 1783), incl		0.573 (14.79)					0.927 (23.63)				
Over 165 to 170 (1783 to 1834), incl		0.589 (15.22)					0.954 (24.32)				
Over 170 to 175 (1834 to 1885), incl		0.606 (15.65)					0.981 (25.01)				
Over 175 to 180 (1885 to 1936), incl		0.622 (16.08)					1.008 (25.70)				
Over 180 to 185 (1936 to 1987), incl		0.639 (16.51)					1.035 (26.39)				
Over 185 to 190 (1987 to 2038), incl		0.655 (16.94)					1.062 (27.08)				
Over 190 to 195 (2038 to 2089), incl		0.672 (17.37)					1.089 (27.77)				
Over 195 to 200 (2089 to 2140), incl		0.688 (17.80)					1.116 (28.46)				
Over 200 to 205 (2140 to 2191), incl		0.705 (18.23)					1.143 (29.15)				
Over 205 to 210 (2191 to 2242), incl		0.721 (18.66)					1.170 (30.00)				
Over 210 to 215 (2242 to 2293), incl		0.738 (19.09)					1.197 (30.69)				
Over 215 to 220 (2293 to 2344), incl		0.754 (19.52)					1.224 (31.38)				
Over 220 to 225 (2344 to 2395), incl		0.771 (19.95)					1.251 (32.07)				
Over 225 to 230 (2395 to 2446), incl		0.787 (20.38)					1.278 (32.76)				
Over 230 to 235 (2446 to 2497), incl		0.804 (20.81)					1.305 (33.45)				
Over 235 to 240 (2497 to 2548), incl		0.820 (21.24)					1.332 (34.14)				
Over 240 to 245 (2548 to 2599), incl		0.837 (21.67)					1.359 (34.83)				
Over 245 to 250 (2599 to 2650), incl		0.853 (22.10)					1.386 (35.52)				
Over 250 to 255 (2650 to 2701), incl		0.870 (22.53)					1.413 (36.21)				
Over 255 to 260 (2701 to 2752), incl		0.886 (22.96)					1.440 (36.90)				
Over 260 to 265 (2752 to 2803), incl		0.903 (23.39)					1.467 (37.59)				
Over 265 to 270 (2803 to 2854), incl		0.919 (23.82)					1.494 (38.28)				
Over 270 to 275 (2854 to 2905), incl		0.936 (24.25)					1.521 (38.97)				
Over 275 to 280 (2905 to 2956), incl		0.952 (24.68)					1.548 (39.66)				
Over 280 to 285 (2956 to 3007), incl		0.969 (25.11)					1.575 (40.35)				
Over 285 to 290 (3007 to 3058), incl		0.985 (25.54)					1.602 (41.04)				
Over 290 to 295 (3058 to 3109), incl		1.002 (25.97)					1.629 (41.73)				
Over 295 to 300 (3109 to 3160), incl		1.018 (26.40)					1.656 (42.42)				
Over 300 to 305 (3160 to 3211), incl		1.035 (26.83)					1.683 (43.11)				
Over 305 to 310 (3211 to 3262), incl		1.051 (27.26)					1.710 (43.80)				
Over 310 to 315 (3262 to 3313), incl		1.068 (27.69)					1.737 (44.49)				
Over 315 to 320 (3313 to 3364), incl		1.084 (28.12)					1.764 (45.18)				
Over 320 to 325 (3364 to 3415), incl		1.101 (28.55)					1.791 (45.87)				
Over 325 to 330 (3415 to 3466), incl		1.117 (28.98)					1.818 (46.56)				
Over 330 to 335 (3466 to 3517), incl		1.134 (29.41)					1.845 (47.25)				
Over 335 to 340 (3517 to 3568), incl		1.150 (29.84)					1.872 (47.94)				
Over 340 to 345 (3568 to 3619), incl		1.167 (30.27)					1.899 (48.63)				
Over 345 to 350 (3619 to 3670), incl		1.183 (30.70)					1.926 (49.32)				
Over 350 to 355 (3670 to 3721), incl		1.200 (31.13)					1.953 (50.01)				
Over 355 to 360 (3721 to 3772), incl		1.216 (31.56)					1.980 (50.70)				
Over 360 to 365 (3772 to 3823), incl		1.233 (31.99)					2.007 (51.39)				
Over 365 to 370 (3823 to 3874), incl		1.249 (32.42)					2.034 (52.08)				
Over 370 to 375 (3874 to 3925), incl		1.266 (32.85)					2.061 (52.77)				
Over 375 to 380 (3925 to 3976), incl		1.282 (33.28)					2.088 (53.46)				
Over 380 to 385 (3976 to 4027), incl		1.299 (33.71)					2.115 (54.15)				
Over 385 to 390 (4027 to 4078), incl		1.315 (34.14)					2.142 (54.84)				
Over 390 to 395 (4078 to 4129), incl		1.332 (34.57)					2.169 (55.53)				
Over 395 to 400 (4129 to 4180), incl		1.348 (35.00)					2.196 (56.22)				
Over 400 to 405 (4180 to 4231), incl		1.365 (35.43)					2.223 (56.91)				
Over 405 to 410 (4231 to 4282), incl		1.381 (35.86)					2.250 (57.60)				
Over 410 to 415 (4282 to 4333), incl		1.398 (36.29)					2.277 (58.29)				
Over 415 to 420 (4333 to 4384), incl		1.414 (36.72)					2.304 (58.98)				
Over 420 to 425 (4384 to 4435), incl		1.431 (37.15)					2.331 (59.67)				
Over 425 to 430 (4435 to 4486), incl		1.447 (37.58)					2.358 (60.36)				
Over 430 to 435 (4486 to 4537), incl		1.464 (38.01)					2.385 (61.05)				
Over 435 to 440 (4537 to 4588), incl		1.480 (38.44)					2.412 (61.74)				
Over 440 to 445 (4588 to 4639), incl		1.497 (38.87)					2.439 (62.43)				
Over 445 to 450 (4639 to 4690), incl		1.513 (39.30)					2.466 (63.12)				
Over 450 to 455 (4690 to 4741), incl		1.530 (39.73)					2.493 (63.81)				
Over 455 to 460 (4741 to 4792), incl		1.546 (40.16)					2.520 (64.50)				
Over 460 to 465 (4792 to 4843), incl		1.563 (40.59)					2.547 (65.19)				
Over 465 to 470 (4843 to 4894), incl		1.579 (41.02)					2.574 (65.88)				
Over 470 to 475 (4894 to 4945), incl		1.596 (41.45)					2.601 (66.57)				
Over 475 to 480 (4945 to 4996), incl		1.612 (41.88)					2.628 (67.26)				
Over 480 to 485 (4996 to 5047), incl		1.629 (42.31)					2.655 (67.95)				
Over 485 to 490 (5047 to 5098), incl		1.645 (42.74)					2.682 (68.64)				
Over 490 to 495 (5098 to 5149), incl		1.662 (43.17)					2.709 (69.33)				
Over 495 to 500 (5149 to 5200), incl		1.678 (43.60)					2.736 (70.02)				
Over 500 to 505 (5200 to 5251), incl		1.695 (44.03)					2.763 (70.71)				
Over 505 to 510 (5251 to 5302), incl		1.711 (44.46)					2.790 (71.40)				
Over 510 to 515 (5302 to 5353), incl		1.728 (44.89)					2.817 (72.09)				
Over 515 to 520 (5353 to 5404), incl		1.744 (45.32)					2.844 (72.78)				
Over 520 to 525 (5404 to 5455), incl		1.761 (45.75)					2.871 (73.47)				
Over 525 to 530 (5455 to 5506), incl		1.777 (46.18)					2.898 (74.16)				
Over 530 to 535 (5506 to 5557), incl		1.794 (46.61)					2.925 (74.85)				
Over 535 to 540 (5557 to 5608), incl		1.810 (47.04)					2.952 (75.54)				
Over 540 to 545 (5608 to 5659), incl		1.827 (47.47)					2.979 (76.23)				
Over 545 to 550 (5659 to 5710), incl		1.843 (47.90)					3.006 (76.92)				
Over 550 to 555 (5710 to 5761), incl		1.860 (48.33)					3.033 (77.61)				
Over 555 to 560 (5761 to 5812), incl		1.876 (48.76)					3.060 (78.30)				
Over 560 to 565 (5812 to 5863), incl		1.893 (49.19)					3.087 (78.99)				
Over 565 to 570 (5863 to 5914), incl		1.909 (49.62)					3.114 (79.68)				
Over 570 to 575 (5914 to 5965), incl		1.926 (49.95)					3.141 (80.37)				
Over 575 to 580 (5965 to 6016), incl		1.942 (50.38)					3.168 (81.06)				
Over 580 to 585 (6016 to 6067), incl		1.959 (50.81)					3.195 (81.75)				
Over 585 to 590 (6067 to 6118), incl		1.975 (51.24)					3.222 (82.44)				
Over 590 to 595 (6118 to 6169), incl		1.992 (51.67)					3.249 (83.13)				
Over 595 to 600 (6169 to 6220), incl		2.008 (52.10)					3.276 (83.82)				
Over 600 to 605 (6220 to 6271), incl		2.025 (52.53)					3.303 (84.51)				
Over 605 to 610 (6271 to 6322), incl		2.041 (52.96)					3.330 (85.20)				
Over 610 to 615 (6322 to 6373), incl		2.058 (53.39)					3.357 (85.89)				
Over 615 to 620 (6373 to 6424), incl		2.074 (53.82)					3.384 (86.58)				
Over 620 to 625 (6424 to 6475), incl		2.091 (54.25)					3.411 (87.27)				
Over 625 to 630 (6475 to 6526), incl		2.107 (54.68)					3.438 (87.96)				
Over 630 to 635 (6526 to 6577), incl		2.124 (55.11)					3.465 (88.65)				
Over 635 to 640 (6577 to 6628), incl		2.140 (55.54)					3.492 (89.34)				
Over 640 to 645 (6628 to 6679), incl		2.157 (55.97)					3.519 (90.03)				
Over 645 to 650 (6679 to 6730), incl		2.173 (56.40)					3.546 (90.72)				
Over 650 to 655 (6730 to 6781), incl		2.190 (56.83)					3.573 (91.41)				
Over 655 to 660 (6781 to 6832), incl		2.206 (57.26)					3.600 (92.10)				
Over 660 to 665 (6832 to 6883), incl		2.223 (57.69)					3.627 (92.79)				
Over 665 to 670 (6883 to 6934), incl		2.239 (58.12)					3.654 (93.48)				
Over 670 to 675 (6934 to 6985), incl		2.256 (58.55)					3.681 (94.17)				
Over 675 to 680 (6985 to 7036), incl		2.272 (58.98)					3.708 (94.86)				
Over 680 to 685 (7036 to 7087), incl		2.289 (59.41)					3.735 (95.55)				
Over 685 to 690 (7087 to 7138), incl		2.305 (59.84)					3.762 (96.24)				
Over 690 to 695 (7138 to 7189), incl		2.322 (60.27)					3.789 (96.93)				
Over 695 to 700 (7189 to 7240), incl		2.338 (60.70)					3.816 (97.62)				
Over 700 to 705 (7240 to 7291), incl		2.355 (61.13)					3.843 (98.31)				
Over 705 to 710 (7291 to 7342), incl		2.371 (61.56)					3.870 (99.00)				
Over 710 to 715 (7342 to 7393), incl		2.388 (61.99)					3.897 (99.69)				
Over 715 to 720 (7393 to 7444), incl		2.404 (62.42)					3.924 (100.38)				
Over 720 to 725 (7444 to 7495), incl		2.421 (62.85)					3.951 (101.07)				
Over 725 to 730 (7495 to 7546), incl		2.437 (63.28)					3.978 (101.76)				
Over 730 to 735 (7546 to 7597), incl		2.454 (63.71)					4.005 (102.45)				
Over 735 to 740 (7597 to 7648), incl		2.470 (64.14)					4.032 (103.14)				
Over 740 to 745 (7648 to 7699), incl		2.487 (64.57)					4.059 (103.83)				
Over 745 to 750 (7699 to 7750), incl		2.503 (65.00)					4.086 (104.52)				
Over 750 to 755 (7750 to 7801), incl		2.520 (65.43)					4.113 (105.21)				
Over 755 to 760 (7801 to 7852), incl		2.536 (65.86)					4.140 (105.90)				
Over 760 to 765 (7852 to 7903), incl		2.553 (66.29)					4.167 (106.59)				
Over 765 to 770 (7903 to 7954), incl		2.569 (66.72)					4.194 (107.28)				
Over 770 to 775 (7954 to 8005), incl		2.586 (67.15)					4.221 (107.97)				
Over 775 to 780 (8005 to 8056), incl		2.602 (67.58)					4.248 (108.66)				
Over 780 to 785 (8056 to 8107), incl		2.619 (68.01)					4.275 (109.35)				
Over 785 to 790 (8107 to 8158), incl		2.635 (68.44)					4.302 (110.04)				
Over 790 to 795 (8158 to 8209), incl		2.652 (68.87)					4.329 (110.73)				
Over 795 to 800 (8209 to 8260), incl		2.668 (69.30)					4.356 (111.42)				
Over 800 to 805 (8260 to 8311), incl		2.685 (69.73)					4.383 (112.11)				
Over 805 to 810 (8311 to 8362), incl		2.701 (70.16)					4.410 (112.80)				
Over 810 to 815 (8362 to 8413), incl		2.718 (70.59)					4.437 (113.49)				
Over 815 to 820 (8413 to 8464), incl		2.734 (71.02)					4.464 (114.18)				
Over 820 to 825 (8464 to 8515), incl		2.751 (71.45)					4.491 (114.87)				
Over 825 to 830 (8515 to 8566), incl		2.767 (71.88)					4.518 (115.56)				

³ Out of square tolerance to be 3% of total width tolerance max.

A	NEW ISSUE	DESCRIPTION		AP	BY	DATE
DESIGN		AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. MSTEEL-A2 REV. A SHEET 1 OF 1 SCALE NTS COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING.			
DRAWN		AP				
CHECKED		CA				
MFG. APPR.		N/A				
APPROVED		AP				
DE APPR.		AP	SAI A2 TOOL STEEL TITLE			
DATE	12.09.06					

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSONS WITHOUT

DATE	12.09.06
------	----------

CERTIFICAT D'ANALYSE

DART AEROSPACE LTD
 1270, ABERDEEN STREET
 HAWKESBURY, ONTARIO
 K6A 1K7

20 févr. 18

Product Description
 A2-05000

Shipped Pcs
 1.00

Back Ordred
 0.00

PO LINE

1/2 X 32 1/4" X 140 1/16" A2 PLATE

ASTM A-681-08

DFARS Compliant

PLATE#: 419427B

Country of Origin FRANCE

PM HEAT#: 83806

BHN 207.00

C - 0.9660	Mn - 0.6010	P - 0.0070	S - 0.0008	Si - 0.2700	NI - 0.0990
Cr - 5.1620	Mo - 0.9310	Cu - 0.0900	V - 0.2170	W - 0.0040	

ITEM 1: 9 X 1.25" +/- X 140"

COMMANDE : 132669

REF : 39020

Métaux Solutions inc. certifie que les analyses sur ce document sont exactes et que le matériel rencontre les spécifications énumérées.

Préparé par

[Signature]